



Upholstered armchair

Upholstered chair with fireproof cold-foamed polyurethane shell on metal frame. Fixed or swivel steel frames, either with articulated and adjustable nylon or steel feet or with swivel castors. Fixed 4-leg frame made of painted maple wood with felt glides and steel supporting structure. Versions with 5-star polypropylene or aluminium base on pivoting castors.



TYPES



Kicca Plus - Shell with flat padding




Kicca Plus Soft - Shell with SOFT padding



Two-colour shell
The first code refers to the inner part. The second code refers to the outer part.

FIXED CHAIRS




4 legs




FRAME FINISHES

- **AB** White
- **AN** Black
- **AV** Aluminium grey
- **ACC** Chromed



4 maple wood legs
Felt glides



Sled frame




FRAME FINISHES

- **AB** White
- **AN** Black
- **AV** Aluminium grey
- **ACC** Chromed



SWIVEL CHAIRS




Swivel with 4 legs



FRAME FINISHES

- **AB** White
- **AN** Black
- **ACC** Chromed
- **TT** Dove-colour
- **UU** Brick red
- **DD** Olive green
- **PP** Turquoise
- **HH** Ocean blue
- **LL** Lava




Swivel with 4 legs with castors



FRAME FINISHES

- **AB** White
- **AN** Black
- **ACC** Chromed
- **TT** Dove-colour
- **UU** Brick red
- **DD** Olive green



Swivel with 4 legs with castors and gaslift




FRAME FINISHES

- **AB** White
- **AN** Black
- **ACC** Chromed
- **TT** Dove-colour
- **UU** Brick red
- **DD** Olive green



SWIVEL CHAIRS




Swivel convex round base with gaslift



FRAME FINISHES

- **AN** Black
- **AC** Chromed



Swivel 5-star base with castors and gaslift
Base to specify in the order



5-STAR SWIVEL BASES



ABN (Ø 700)
Black nylon base
With rubber self-braking castors Ø65 mm
040108



APS (Ø 660)
Black nylon base
With rubber self-braking castors Ø65 mm
040108



ABW (Ø 700)
White nylon base
With rubber self-braking castors Ø65 mm
040108



AL6 (Ø 654)
Polished aluminium base
With rubber self-braking castors Ø65 mm
040108



AL7 (Ø 675)
Polished aluminium base
With rubber self-braking castors Ø50 mm
040081



ANN (Ø 654)
Black painted aluminium base
With rubber self-braking castors Ø65 mm
040108



AWW (Ø 654)
White painted aluminium base with white castors and gaslift
With white rubber self-braking castors Ø65 mm
041400



AL5 (Ø 654)
Polished aluminium base with chromed castors and gaslift
With chromed rubber self-braking castors Ø65 mm
040109



AL3 (Ø 654)
Polished aluminium base with chromed castors and gaslift
With chromed rubber self-braking castors Ø65 mm
040109

5-STAR SWIVEL BASES



AN4 (Ø 730)
4-star black painted aluminium base with feet
(Do not use on tilt versions)



AL4 (Ø 730)
4-star polished aluminium base with chromed feet
(Do not use on tilt versions)

CASTORS AND FEET



040108
Rubber self-braking castors Ø65 mm



040109
Rubber self-braking chromed castors Ø65 mm (for base AL3-AL5)



040081
Rubber self-braking castors Ø50 mm (only for AL7 base)



041400
Rubber self-braking white castors Ø65 mm (for AWW base)



0401430
ON REQUEST - Black rubber self-braking hollow castors Ø65 mm (only for base: APS-APG-APW-AL6-ANN-AL5-AL3-AWW)



099578
ON REQUEST - Black nylon foot (only for base: APS-APG-APW-AL6-ANN-AL5-AWW)



049578
ON REQUEST - Black nylon foot (only for base: APN-AL7)

Note for castors:

- Suitable for hard floors, parquet and tiles EN1335-2
- With silent pin (except for castors 040080-040081)

INFO



NOTES

TWO COLOURS: The first code refers to the inner part. The second code refers to the external part



MINIMUM ENVIRONMENTAL CRITERIA

Versions with compliant fabrics and 4-leg painted frame



TECHNICAL SPECIFICATIONS

- EN16139
- Product tested in accordance with the current edition at the time of testing



FIRE RESISTANCE ITALIAN HOMOLOGATION

- Class 1IM: Only on request with upholstery: Planet cat. A